

City of Nampa

ENVIRONMENTAL COMPLIANCE DIVISION
NDSC 500 12TH AVE. SOUTH NAMPA, IDAHO 83651

OFFICE (208) 565-5269
EMAIL ecd@cityofnampa.us

Erosion Permit Less than an Acre Application

Project Location:

Address:

Subdivision:

Lot:

Block:

Parcel Number:

Applicant:

Name:

Email:

Company:

Phone Number:

Address:

Owner:

***Skip to next if same as applicant.**

Name:

Email:

Company:

Phone Number:

Address:

Responsible Person:

Check here if you are the homeowner doing the project work.

Name:

Email:

Company:

Phone Number:

Address:

RP Cert # and Expiration:

City of Nampa

ENVIRONMENTAL COMPLIANCE DIVISION
NDSC 500 12TH AVE. SOUTH NAMPA, IDAHO 83651

OFFICE (208) 565-5269
EMAIL ecd@cityofnampa.us

Project Information:

New SFD-Duplex-Townhome

Multifamily Development

Commercial Development

Residential Development

Remodel/Addition involving earth disturbance

Demolitions

Other:

Approximate Acres Disturbed:

Submittal Requirements:

- **Must have an ESCP plan.**
- **The Certified Responsible Person (s) must possess a valid Responsible Person Certification number. Responsible Person Training Class information is available upon request. The Responsible Person shall be on site during all construction or grading activity.**

Contact Information

Ashley Riederer, Stormwater Inspector 208-565-5269

Or

Greg Goodman, Erosion Control Lead Inspector 208-468-4442

Please call with any questions or concerns regarding this permit application.

Permit Fee: \$75.00 + \$5.00 (base permit fee) = \$80.00

City of Nampa

ENVIRONMENTAL COMPLIANCE DIVISION
NDSC 500 12TH AVE. SOUTH NAMPA, IDAHO 83651

OFFICE (208) 565-5269
EMAIL ecd@cityofnampa.us

CONDITIONS OF APPROVAL

This General Permit application must be submitted with a Specific Construction Site Discharge Plan with BMP details. This General Permit application is for the construction, demolition, or site development of a project less than one acre in size. The approval of this permit does not relieve the applicant from complying with all applicable Federal or State laws and regulations. In the event the applicant fails to provide adequate control under the provisions of this permit, the Public Works Department reserves the right to require additional control measures as necessary OR require the preparation and implementation of an erosion and sediment control plan.

At any location where sediment-laden run-off may exit the property, perimeter, controls will be installed to prevent sediment from being transported off-site. Any sediment transported off-site to roads or road rights-of-way including ditches shall be removed. Any damage to ditches shall be repaired and stabilized to original condition. Grading shall not impair surface drainage, create an erosion hazard, or create a source of sediment to any adjacent watercourse or property owner. A temporary access road shall be provided at all sites. The applicant is responsible for preventing the tracking of mud or dirt upon the public right-of-way, and the cleanup should tracking occur. Clean up of sediment track out is to be swept and not washed away with water.

Construction ramps shall not be placed in a manner as to interfere with or block the passage of stormwater runoff. No materials or supplies shall be placed on the public right-of-way (streets or sidewalks) unless permitted. Control measures shall be in place to prevent particulate matter from becoming airborne from any construction activity or operation. Stormwater inlet structures shall be protected from sediment during construction (if applicable). Control measures shall be implemented for proper disposal of construction and building wastes; paint and other chemicals used during construction and site cleanup.

Temporary stabilization of the construction site shall be completed to the surface of all disturbed areas within 10 days of clearing or inactivity in construction. When in-channel work is conducted, the channel shall be stabilized before, during and after work. Swales or other areas that transport concentrated flow will be stabilized with erosion control matting or sod.

Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within one hundred eighty (180) days after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of one hundred eighty (180) days after the work is commenced.

Erosion Control Permit Placard should be placed near the project entrance.
Keep all trash on site in a designated trash bin.

I have read and agree to the terms and conditions of this Permit. I certify that I have the authority to obligate my company and myself to these terms and conditions

Applicant's Name: _____

Applicant's Signature: _____

Date: _____