

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location if different)  
 NAME: NAMP, CITY OF  
 ADDRESS: WASTEWATER TREATMENT PLANT  
 340 WEST RAILROAD STREET  
 LOCATION: NAMP, ID 83687-1741


FACILITY: WASTEWATER TREATMENT PLANT

LOCATION: NAMP, ID 83687-1741  
 ATTN: ANDREW ZIMMERMAN, WWTP SUPT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)  
 PERMIT NUMBER: ID0022063  
 DISCHARGE NUMBER: 001 A  
 (17-19)

MONITORING PERIOD  
 YEAR | MO | DAY | YEAR | MO | DAY  
 FROM 16 | 03 | 01 TO 16 | 03 | 31

MAJOR (SUBR 02)  
 F - FINAL  
 \*\*\* Check here if No Discharge \*\*\*

PARAMETER (32-37)	QUANTITY OR LOADING (20-27) (24-25) (26-27) (28-29) (30-37) (46-53)			QUALITY OR CONCENTRATION (38-45) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (20-27)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)			
TEMPERATURE, WATER	*****	*****	****	*****	15.8	( 04)	0	02/SH	GRAB
DEG.CENTIGRADE	*****	*****	*****	*****	REPORT MO AVG	DEG.C		WEEKLY	GRAB
EFFLUENT GROSS VALUE	*****	*****	*****	*****	100	( 23)	0	02/SH	GRAB
OXYGEN, DISSOLVED	*****	*****	*****	*****	90	PERCENT		WEEKLY	GRAB
PERCENT SATURATION	*****	*****	*****	*****	MO AV. MN			WEEKLY	GRAB
EFFLUENT GROSS VALUE	*****	*****	( 26)	*****	292	( 19)	0	1/1	COMP 24
BOD, 5-DAY (20 DEG. C)	20,023	*****	LBS / DY	*****	REPORT MO AVG	MG / L		WEEKLY	COMP 24
RAW SEW / INFLUENT	REPORT MO AVG	*****	( 26)	*****	4	( 19)	0	1/1	COMP 24
BOD, 5-DAY (20 DEG. C)	345	373	LBS / DY	*****	30	MG / L		WEEKLY	COMP 24
EFFLUENT GROSS VALUE	3000	4500	WEEKLY AVG	*****	MO AVG			WEEKLY	COMP 24
PH	*****	*****	*****	*****	7.0	( 12)	0	1/1	GRAB
0.0400 1 0 0	*****	*****	*****	*****	6.5	SU		WEEK - DAYS	GRAB
EFFLUENT GROSS VALUE	*****	*****	*****	*****	MINIMUM			WEEKLY	COMP 24
SOLIDS, TOTAL SUSPENDED	18,390	*****	( 26)	*****	268	( 19)	0	1/1	COMP 24
00530 G 0 0	REPORT MO AVG	*****	LBS / DY	*****	REPORT MO AVE	MG / L		WEEKLY	COMP 24
RAW SEW / INFLUENT	317	360	( 26)	*****	4	( 19)	0	1/1	COMP 24
SOLIDS, TOTAL SUSPENDED	3000	4500	LBS / DY	*****	MO AVG			WEEKLY	COMP 24
EFFLUENT GROSS VALUE	MO AVG	*****	*****	*****	45	MG / L		WEEKLY	COMP 24
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER	TELEPHONE: 208-468-5840 YEAR   MO   DAY: 16   04   20 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER:  OFFICER OR AUTHORIZED AGENT								
ANDREW ZIMMERMAN, WWTP SUPT.	TYPED OR PRINTED: ANDREW ZIMMERMAN, WWTP SUPT. COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS. Dissolved Oxygen by luminescence, Hach Method 10360 EPA Form 3320-1 (Rev. 10-96)								

NOTE: Read instructions before completing this form.  
 (3 Card Only) (4 Card Only)  
 CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY SUPERVISION AND THAT I AM A QUALIFIED PERSONNEL WHO HAS BEEN TRAINED AND CALIBRATED TO PROPERLY GATHER AND EVALUATE THE INFORMATION SUBMITTED HEREON. I AM NOT PROVIDING ANY INFORMATION TO THE PUBLIC OR TO ANY OTHER PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION SUBMITTED IS TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM NOT PROVIDING ANY INFORMATION FOR ANY PURPOSE OTHER THAN THAT STATED HEREON. I AM NOT PROVIDING ANY INFORMATION FOR ANY PURPOSE OTHER THAN THAT STATED HEREON. I AM NOT PROVIDING ANY INFORMATION FOR ANY PURPOSE OTHER THAN THAT STATED HEREON.  
 U.S.C. § 1310 (7) includes under these statutes they include from 10 to 110,000 and/or maximum imprisonment of between 6 months and 5 years.  
 Form by ChemSW (07) 684-0045.pml 1090bmr+5.21.2101.sht 110603796  
 (REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)  
 Page 1 of 3

PERMITTEE NAME/ADDRESS: (Include Facility Name/Location & Effluent)  
 NAME: NAMP, CITY OF  
 ADDRESS: WASTEWATER TREATMENT PLANT  
 340 WEST RAILROAD STREET  
 LOCATION: NAMP, ID 83687-1741

FACILITY: WASTEWATER TREATMENT PLANT  
 LOCATION: NAMP, ID 83687-1741  
 ATTN: ANDREW ZIMMERMAN, WWTP SUPT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)  
 ID0022063 PERMIT NUMBER (2-16)  
 001 A DISCHARGE NUMBER (17-19)  
 F - FINAL

MONITORING PERIOD  
 YEAR | MO | DAY | YEAR | MO | DAY  
 FROM 16 | 03 | 01 TO 16 | 03 | 31

PARAMETER (32-37)	QUANTITY OR LOADING (3 Card Only) (46-53)			QUALITY OR CONCENTRATION (54-61)			NO. OF ANALYSIS (64-69)	FREQUENCY (69-70)	SAMPLE TYPE (69-70)	
	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (54-61)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS (54-61)
NITROGEN, AMMONIA TOTAL (AS N) 0 0 6 1 0 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	4.0	10.0	( 26)	*****	0.05	( 19)	0	29/30	COMP 24
	PERMIT REQUIREMENT	88.3 MO AVG	196.2 DAILY MX	LBS / DY	*****	0.9 MO AVG	MG / L		WEEKLY	COMP 24
NITROGEN, AMMONIA TOTAL (AS N) 0 0 6 1 0 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	4.5	4.9	( 26)	*****	0.06	( 19)	0	2/30	COMP 24
	PERMIT REQUIREMENT	98.1 MO AVG	225.5 DAILY MX	LBS / DY	*****	1.0 MO AVG	MG / L		WEEKLY	COMP 24
NITROGEN, AMMONIA TOTAL (AS N) 0 0 6 1 0 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	NA	NA	( 26)	*****	NA	( 19)	NA	NA	COMP 24
	PERMIT REQUIREMENT	117.7 MO AVG	274.6 DAILY MX	LBS / DY	*****	1.2 MO AVE	MG / L		WEEKLY	COMP 24
NITROGEN, AMMONIA TOTAL (AS N) 0 0 6 1 0 1 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	NA	NA	( 26)	*****	NA	( 19)	NA	NA	COMP 24
	PERMIT REQUIREMENT	78.5 MO AVG	176.52 WKLY AVG	LBS / DY	*****	0.8 MO AVG	MG / L		WEEKLY	COMP 24
COLIFORM, FECAL MF, M - FC BROTH, 44.5 C 3 1 6 1 6 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	16	( 13)	0	1/1	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	200 MO GEO	#		WEEK - DAYS	GRAB
E. COLI, SM9223, Colifert 3 1 6 4 8 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	21.2	( 13)	0	1/7	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT MO GEO	#		ONCE / MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 5 0 0 5 0 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	9.9	*****	( 03)	*****	*****	100 ML	0	CONTINUOUS	RCORDR
	PERMIT REQUIREMENT	118 MO AVG	*****	MGD	*****	*****	****		CONTINUOUS	RCORDR
NAME / TITLE PRINCIPAL EXECUTIVE OFFICER										TELEPHONE
ANDREW ZIMMERMAN, WWTP SUPT.										(208)468-5840
TYPED OR PRINTED										DATE
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT										16   04   20
OFFICER OR AUTHORIZED AGENT										YEAR   MO   DAY

I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY PERSONAL SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL OPERATE AND MAINTAIN THE SYSTEM AND THAT THE PERSONS DIRECTLY RESPONSIBLE FOR OBTAINING OR VERIFYING THE INFORMATION SUBMITTED TO THE BEST OF MY KNOWLEDGE AND BELIEF TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING FINE AND/OR IMPRISONMENT FOR VIOLATIONS. SEE 19 U.S.C. § 1101 AND 33 U.S.C. § 1319 (P-polluter under these standards may include fines up to \$10,000 per violation per day of violation for each violation and 5 years.)

NOTE: Read instructions before completing this form.  
 (4 Card Only) (26-27) (28-29) (30-31)  
 (3 Card Only) (46-53) (54-61)  
 Form by ChemSW(707)864-0645.ppt(1060mm)5 2/12/101,John 10603199

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

EPA Form 3320-1 (Rev. 10-96) Page 2 of 3

PERMITTEE NAME/ADDRESS: (include Facility Name, Location if different)  
 NAME: NAMPA, CITY OF  
 ADDRESS: WASTEWATER TREATMENT PLANT  
 340 WEST RAILROAD STREET  
 LOCATION: NAMPA, ID 83687-1741

FACILITY: WASTEWATER TREATMENT PLANT

LOCATION: NAMPA, ID 83687-1741  
 ATTN: ANDREW ZIMMERMAN, WWTP SUPT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

DISCHARGE NUMBER: 001 A  
 PERMIT NUMBER: ID0022063

MONITORING PERIOD  
 FROM 16 | 03 | 01 TO 16 | 03 | 31  
 YEAR | MO | DAY

NOTE: Read instructions before completing this form.

Check here if No Discharge

PARAMETER (32-37)	(3 Card Only) (46-53)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (54-61)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	UNITS				
CHLORINE, TOTAL RESIDUAL 5 0 0 6 0 1 0 0	2.0	3.4	( 26 )	*****	24	40	( 28 )	0	EV/2H	GRAB			
EFFLUENT GROSS VALUE	9.8 MO AVG	9.8 DAILY MX	LBS / DY	*****	100 MO AV	100 DAILY MX	UG / L		WEEK- DAYS	GRAB			
TOXICITY, CERIODAPHTHIA CHRONIC 6 1 4 2 6 1 0 0	*****	*****		*****	*****	NA	( 73 )	NA	NA	COMP 24			
EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT	TOXIC UNITS		SEMI- ANNUAL	COMP 24			
TOXICITY, PIMEPHALES CHRONIC 6 1 4 2 8 1 0 0	*****	*****	****	*****	*****	REPORT	( 73 )	NA	NA	COMP 24			
EFFLUENT GROSS VALUE	*****	*****	****	*****	*****	REPORT	TOXIC UNITS		SEMI- ANNUAL	COMP 24			
BOD, 5 - DAY PERCENT REMOVAL	*****	*****	****	*****	*****	*****	( 23 )	0	1/1	CALCTD			
8 1 0 1 0 K 0 0 PERCENT REMOVAL	*****	*****	****	*****	*****	*****	PERCENT		DAILY	CALCTD			
SOLIDS, SUSPENDED PERCENT REMOVAL	*****	*****	****	*****	*****	*****	( 23 )	0	1/1	CALCTD			
8 1 0 1 1 K 0 0 PERCENT REMOVAL	*****	*****	****	*****	*****	*****	PERCENT		DAILY	CALCTD			
SAMPLE MEASUREMENT													
PERMIT REQUIREMENT													
SAMPLE MEASUREMENT													
PERMIT REQUIREMENT													
SAMPLE MEASUREMENT													
PERMIT REQUIREMENT													

NAME / TITLE PRINCIPAL EXECUTIVE OFFICER  
 ANDREW ZIMMERMAN, WWTP SUPT.  
 TYPED OR PRINTED

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER  
 OFFICER OR AUTHORIZED AGENT

TELEPHONE: (208) 468-5840  
 NUMBER: 16 | 04 | 20  
 YEAR | MO | DAY

FORMS BY: ChemSWI 1071894-0945.ppt 110903mr.v5.21.21/103.sml 110903799

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 THERE SHALL BE NO DISCHARGE OF FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

Date	Flow MGD	BOD mg/L	COD mg/L	TSS mg/L	NH3-N mg/L	TKN mg/L	pH	NAMPWA WASTEWATER DIVISION										EFFLUENT				PERCENT REMOVAL				SHEET 1					
								Ortho P mg/L	TKN mg/L	D.O. mg/L	Temp °C	FOG mg/L	Ortho P mg/L	Total P mg/L	Flow MGD	BOD mg/L	TSS mg/L	NH3-N mg/L	TKN mg/L	pH	BOD lbs/day	TSS lbs/day	NH3-N lbs/day	TKN lbs/day	BOD %	TSS %	NH3-N %	TKN %	Ortho P mg/L	Total P mg/L	lbs
1	8.339	300	660	251	26.0	41.1	8.1	20864	17456	1808	2858	5.90	410	8.195	4	2	0.03	7.4	273	137	2.1	137	98.7	99.2	99.9	3.90	267	1			
2	8.498	290	625	262	28.7	39.8	7.9	20553	18569	2034	2821	2.50	6.30	9.408	7	3	0.08	1.65	7.0	549	235	6.3	129	97.3	98.7	99.7	4.00	314	2		
3	8.379	320	645	288	26.3	41.9	7.9	22362	20126	1838	2928	5.80	391	10.148	5	3	0.05	7.2	423	254	4.2	254	98.1	98.7	99.8	4.30	364	3			
4	8.173	265	630	283	24.4	40.5	7.9	18063	19290	1663	2761	5.30	361	9.533	4	2	0.04	1.28	7.2	318	159	3.2	102	98.2	99.2	99.8	3.10	246	4		
5	8.345	290	610	254	23.7	36.5	7.9	20183	17678	1649	2540	6.20	432	10.918	6	5	0.11	7.3	546	455	10.0	455	97.3	97.4	99.4	3.90	355	5			
6	8.269	285	565	323	28.3	39.7	7.9	19855	22275	1952	2738	6.10	421	10.043	3	3	0.04	7.4	251	251	3.4	251	98.7	98.9	99.8	4.20	352	6			
7	8.393	265	555	251	25.3	39.5	8.0	18549	17569	1771	2765	5.80	406	10.095	3	5	0.03	7.4	253	421	2.5	421	98.8	97.6	99.9	4.30	362	7			
8	8.110	290	585	221	23.9	39.9	8.0	19615	14948	1617	2699	5.40	365	8.765	4	3	0.06	7.3	326	244	4.9	244	98.3	98.4	99.7	3.90	318	8			
9	8.221	270	590	257	25.9	40.2	7.7	18512	17621	1776	2756	3.70	6.80	9.977	3	3	0.03	1.42	7.3	250	250	2.5	118	98.7	98.6	99.9	5.30	441	9		
10	8.017	280	645	278	26.7	42.0	7.9	18721	18588	1785	2808	6.00	401	9.821	4	4	0.07	7.4	328	328	5.7	328	98.2	98.2	99.7	4.00	328	10			
11	8.346	270	670	262	29.9	42.3	8.0	18794	18237	2081	2944	6.40	439	9.766	4	2	0.03	7.4	326	163	2.4	117	98.2	98.6	99.8	4.20	352	11			
12	8.228	245	685	272	30.1	45.1	7.8	16812	18665	2066	3095	6.90	476	9.952	4	4	0.03	7.3	332	332	2.5	332	98.1	99.1	99.9	4.30	350	12			
13	8.278	265	615	241	26.9	39.4	7.7	18295	16638	1857	2720	6.00	425	9.988	3	4	0.03	7.3	250	333	2.5	333	98.2	98.0	99.9	4.30	357	13			
14	8.489	280	580	222	27.0	41.9	8.0	19847	15736	1914	2970	5.80	393	9.756	3	3	0.04	7.3	244	244	3.3	244	98.6	98.6	99.8	4.10	342	14			
15	8.117	260	625	257	25.6	41.7	7.9	17601	17398	1733	2823	15	3.50	10.100	4	4	0.03	1.63	7.2	337	337	2.5	137	98.5	98.2	99.9	3.90	309	15		
16	8.323	315	635	275	27.3	41.6	7.8	21865	19089	1895	2888	5.60	381	9.729	4	4	0.11	7.2	325	325	8.9	325	98.8	98.2	99.5	4.50	379	16			
17	8.155	420	665	263	23.2	39.5	7.7	28565	17887	1578	2687	5.50	374	9.831	4	4	0.04	7.3	328	328	3.3	328	98.9	98.2	99.8	4.00	328	17			
18	8.091	250	590	256	26.1	39.9	8.0	16870	17275	1761	2692	5.90	398	9.762	5	4	0.05	1.72	7.3	407	326	4.1	140	97.6	98.1	99.8	4.00	326	18		
19	8.246	265	615	269	23.9	49.2	7.8	18224	18500	1644	3384	5.90	406	10.046	5	5	0.03	7.3	419	419	2.5	419	97.7	97.7	99.8	3.90	327	19			
20	7.961	275	590	259	26.2	41.6	7.8	18259	17196	1740	2762	5.20	345	9.804	4	4	0.04	7.4	327	327	3.3	327	98.2	98.1	99.8	4.20	343	20			
21	8.443	300	540	253	26.6	44.8	7.9	21124	17815	1873	3155	5.60	394	10.315	4	5	0.09	7.4	344	430	7.7	430	98.4	97.6	99.6	3.90	336	21			
22	8.161	400	670	268	27.4	42.1	7.7	27225	18241	1865	2865	5.60	381	9.729	4	4	0.11	7.2	325	325	8.9	325	98.8	98.2	99.5	3.90	316	22			
23	8.652	275	770	312	26.8	42.1	7.8	19843	22513	1934	3038	2.30	5.10	9.776	3	4	0.04	1.12	7.6	245	326	3.3	91	98.8	98.6	99.8	4.10	370	23		
24	8.428	295	655	294	26.8	43.4	7.8	20735	20685	1884	3051	5.60	394	10.255	4	4	0.05	1.95	7.2	342	342	4.3	160	98.4	98.3	99.8	3.60	308	24		
25	7.943	290	630	276	27.2	44.1	7.7	19211	18284	1802	2921	6.00	397	9.813	4	5	0.05	1.95	7.2	327	409	4.1	160	98.3	97.8	99.8	3.60	295	25		
26	7.778	300	655	308	22.2	43.5	7.7	19461	19980	1440	2822	5.70	370	9.587	5	5	0.04	7.3	400	400	3.2	400	98.2	98.0	99.8	3.60	288	26			
27	7.658	285	590	278	24.2	41.0	7.8	18202	17755	1546	2619	6.40	409	9.618	4	5	0.04	7.3	321	401	3.2	401	98.2	97.7	99.8	3.70	297	27			
28	8.170	300	745	246	28.0	43.5	7.9	20441	16762	1908	2964	6.00	409	10.005	4	4	0.04	7.2	334	334	3.3	334	98.4	98.0	99.8	3.60	300	28			
29	7.871	295	655	262	27.1	42.1	8.0	19365	17199	1779	2764	7.20	473	9.574	3	3	0.06	7.2	240	240	4.8	240	98.8	98.6	99.7	3.80	303	29			
30	8.978	315	685	297	29.2	42.1	7.8	23586	22238	2186	3152	3.20	5.90	9.850	6	5	0.05	1.85	7.2	493	411	4.1	152	97.9	98.2	99.8	4.50	370	30		
31	7.961	290	700	269	26.9	36.9	7.9	19303	17905	2456	1837	5.80	386	9.843	6	5	0.06	7.2	493	410	4.9	410	97.4	97.7	99.8	4.40	361	31			
TOT 255.051								629707	570096	56833	87825	12620	305.335						10885	9822	126.3	1146									
MIN 7.658	245	540	221	22.2	27.6	41.7	7.7	16812	14948	1440	1837	2.30	5.10	8.195	3	2	0.03	1.12	7.0	240	137	2.1	91	97.3	97.4	99.4	3.40	246	MIN		
MAX 8.978	420	770	323	36.9	49.2	8.1	28585	22513	2456	3384	3152	3.70	7.20	10.918	7	5	0.11	1.95	7.6	549	455	10.0	160	98.9	98.2	99.9	4.10	5.30	441	MAX	
AVE 8.227	292	635	268	26.7	41.3		20023	18390	1833	2833	4.32	3.04	5.94	4.07	9.850	4	4	0.05	1.56		345	317	4.1	127	98.3	98.3	99.8	3.79	4.02	331	AVE
WK 8.342	288	613	273	26.1	39.9		20033	18995	1816	2773		410	9.763	5	3	0.05	1.47		373	273	4.5	116	98.1	98.5	99.7	3.96	323	WK			
WK 8.243	271	624	250	27.2	41.5		18657	17205	1871	2856	DMR Removal %	427	9.904	4	3	0.04	1.41		307	272	3.4	117	98.3	98.4	99.8	4.30	355	WK			
WK 8.191	298	609	262	25.6	42.6		20358	17880	1746	2913	TKN	391	9.845	4	4	0.05	1.68		344	344	3.8	139	98.3	98.1	99.8	4.04	335	WK			
WK 8.162	305	676	281	27.6	41.2		20737	19154	1880	2803	98.58% 98.57% 99.82% 96.23%	403	9.805	4	4	0.05	1.64		352	360	4.4	134	98.3	98.1	99.8	3.86	316	WK			







